

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	GI D\$1FT same GSPN\$11D same (name adj1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:51
L2	0	GI D\$1FT GSPN\$11D (name adj1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:51
L3	0	GI D\$1FT GSPN\$11D	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:51
L4	1	GI D\$1FT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:52
L5	0	GSPN\$11D	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:53
S1	2	"7042877"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:04
S2	5	"7127633"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:07
S3	2	S2 @ad< "20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:11
S4	1	S3 failover	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:11
S5	2	"20020191602"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:13
S6	6	"6980525"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:21

S7	6	S6 @ad< "20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:24
S8	2638	709/230.cds.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:36
S9	1986	S8 @ad< "20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:36
S10	2	(name adj1 server) same (fibre adj1 channel) same (address adj1 resolution)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:39
S11	3	"7230929"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 14:26
S12	2	"20020191649"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 14:27
S13	0	(IP adj1 address\$3) near6 (FC or (fibre adj1 channel)) near6 (resol\$5)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:02
S14	0	(IP adj1 address\$3) near10 (FC or (fibre adj1 channel)) near10 (resol\$5)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:03
S15	2	(IP adj1 address\$3) with (FC or (fibre adj1 channel)) with (resol\$5)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:03
S16	2	(IP adj1 address\$3) with (resol\$5) with (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:06
S17	30	(address adj1 resol\$5) with (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:07
S18	2	S17 same (IP adj1 address \$2)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:08
S19	12	S17 @ad< "20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:25
S20	4079	(back\$up or secondary) adj1 (link or path)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:12
S21	118442	(FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:14
S22	51	S20 same S21	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:14
S23	33	S22 @ad< "20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:14

S24	2	S23 failover	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:30
S25	31	S23 not S24	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:30
S26	360	IP near4 alias near4 address	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:31
S27	529	IP near4 alias\$3 near4 address	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:31
S28	48117	(back\$up or second\$4) adj1 (link or path)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:32
S29	118465	(FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:33
S30	0	S27 same S28 same S29	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:33
S31	0	S27 same S29	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:34
S32	0	S27 S28 S29	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:34
S33	25	S27 S29	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:34
S34	18	S33 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:35
S35	0	(IP adj1 addresses) with N \$1port with stor\$4	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:25
S36	4	(IP adj1 addresses) near8 N\$1port	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:27
S37	369	(IP adj1 addresses) near8 (N\$1port or (storage adj1 device))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:29
S38	153	S37 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:30
S39	42	S38 (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:33
S40	11	S39 fail\$1over	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:56

S41	11	(multiple or plurality) near4 (IP adj1 addresses) near8 (N\$1port or (storage adj1 device))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:58
S42	2	S41 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:58
S43	3281	(multiple or plurality) near4 (IP adj1 addresses)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 18:33
S44	344777	(N\$1port or (storage adj1 device))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 18:34
S45	33	S43 same S44	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 18:34
S46	9	S45 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 18:35
S47	76	(IP adj1 addresses) SAN (primary adj1 address) (backup or second\$3 or failover)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/28 07:46
S48	49	S47 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/28 07:47
S49	4	"7055056"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/28 07:48
S50	240	(IP adj1 address\$2) with (symbolic adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:03
S51	2828	709/230.ccls.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:04
S52	2828	S51	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:04
S53	1	S50 S52	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:04
S54	67982	"709"/\$3.ccls.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:07
S55	92	S50 S54	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:07
S56	73	S55 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:08

S57	0	(IP adj1 address\$2) naer6 within near6 (symbolic adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:10
S58	0	(IP adj1 address\$2) naer10 within near10 (symbolic adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:10
S59	1	(IP adj1 address\$2) near10 within near10 (symbolic adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:11
S60	52	((IP or network) adj1 address\$2) near10 within near10 ((symbolic or host) adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:16
S61	26	S60 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:16
S62	2	"7042877"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/09 19:44
S63	34	"6353612"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/10 08:15
S64	96501	name with addresses	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/10 08:25
S65	3	S63 S64	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/10 08:26
S66	7	"7127633"	US-PGPUB; USPAT	AND	OFF	2008/10/10 08:35
S67	5	S64 S66	US-PGPUB; USPAT	AND	OFF	2008/10/10 08:35
S68	0	(IP adj1 addresses) with N \$1port with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 11:07
S69	0	(IP adj1 address\$2) same N\$1port same stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 11:08
S70	590	(IP adj1 address\$2) near5 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 14:12
S71	126689	(FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/10 14:13

S72	0	S70 same S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 14:13
S73	17	S70 S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 14:13
S74	34	"6353612"	US-PGPUB; USPAT; DERWENT	AND	OFF	2008/10/10 15:32
S75	12	"6980525"	US-PGPUB; USPAT; DERWENT	AND	OFF	2008/10/10 16:10
S76	4	"7117258"	US-PGPUB; USPAT; DERWENT	AND	OFF	2008/10/10 16:32
S77	4850	DNS adj1 server\$1	US-PGPUB; USPAT; DERWENT	AND	OFF	2008/10/10 16:51
S78	2829	709/230.ccls.	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2008/10/10 16:51
S79	105	S77 S78	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2008/10/10 16:51
S80	590	(IP adj1 address\$2) near5 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:52
S81	2	S79 S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:52
S82	275	(IP adj1 address\$2) near2 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:57
S83	32	S77 S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:57

S84	1	S83 S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:57
S85	2368	(back\$up or secondary) adj2 (address\$2)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 12:57
S86	3184	primary adj2 address	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 12:57
S87	715	S85 with S86	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 12:57
S88	18	encod\$4 same S87	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 12:58
S89	173	(back\$up or secondary) adj1 (IP adj1 address\$2)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:05
S90	166	primary adj1 IP adj1 address	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:06
S91	57	S89 with S90	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:06
S92	0	encod\$4 same S91	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:06
S93	4	(FC adj1 protocol) same (name adj1 field)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:15
S94	692	(FC adj1 protocol)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:16
S95	0	S89 same S94	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:16
S96	0	S89 S94	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:17
S97	2	"20050091319"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 16:11
S98	29	"6571355"	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/12 11:12

S99	0	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near6 (FC or (Fibre adj1 Channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:17
S100	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (FC or (Fibre adj1 Channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:20
S101	5	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) same (FC or (Fibre adj1 Channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:20
S102	104	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 configur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:22
S103	158	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 regist\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:23
S104	6	S102 S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:23
S105	52	(IP adj2 aliases)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 17:58
S106	0	(IP adj2 aliases) with (N \$1port\$1 or (FC adj2 node \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 17:59
S107	0	(IP adj2 aliases) same (N \$1port\$1 or (FC adj2 node \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:00
S108	0	(IP adj2 aliases) (N\$1port \$1 or (FC adj2 node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:00

S109	1262	(N\$1port\$1 or (FC adj2 node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:00
S110	0	S105 S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:00
S111	0	(IP adj2 aliases) near10 FC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:01
S112	0	(IP adj2 aliases) same FC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:02
S113	0	(IP adj1 aliases) near20 (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:04
S114	0	(IP adj1 aliases) same (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:04
S115	0	(IP adj1 aliases) (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:04
S116	305	(FC or (fibre adj1 channel)) same failover	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:05
S117	0	S105 S116	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:06
S118	79	failover near10 partner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:07
S119	0	S105 S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:08
S120	0	failover same S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:11

S121	2	failover S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:11
S122	2835	identity near6 (assum\$6 or (tak\$4 adj1 over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:25
S123	0	S105 S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:25
S124	388	(IP or address) adj2 aliases	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:32
S125	1	S122 S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:33
S126	1557	(IP or address) adj2 alias \$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:35
S127	2	S122 S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:35
S128	0	S118 S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:44
S129	8	"7055056"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/22 16:52
S130	324	(FC or (fibre adj1 channel)) same failover	US-PGPUB; USPAT; DERWENT	AND	ON	2009/09/14 13:55
S131	3015	identity near6 (assum\$6 or (tak\$4 adj1 over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/14 13:55

S132	38	S130 S131	US-PGPUB; USPAT	AND	OFF	2009/09/14 13:55
S133	0	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (linkadj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:02
S134	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (link adj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:02
S135	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 ((link or path)adj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:03
S136	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 ((link or path) adj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:03
S137	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 ((link or path or connection) adj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:03
S138	2	"7362717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 17:23

9/ 16/ 2009 4:05:44 PM

C:\Documents and Settings\mlai\My Documents\EAST\Workspaces\ 10692670.wsp